



Revision Date: 02/06/2007

Issue date: 02/06/2007

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product name:** ODC-Free Cleaner & Degreaser  
**Product type:** Solvent Cleaner  
**Company address:**  
Henkel Corporation  
1001 Trout Brook Crossing  
Rocky Hill, Connecticut 06067

**Item No. :** 20162  
**Region:** United States  
**Contact Information:**  
Telephone: 860.571.5100  
Emergency telephone: 860.571.5100  
Internet: www.loctite.com

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous components</u>	<u>%</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER</u>
Petroleum distillates, hydrotreated light 64742-47-8	60-100	None	None	None
d-Limonene 5989-27-5	5-10	None	None	None

### 3. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

##### HMIS:

<b>Physical state:</b> Liquid	<b>HEALTH:</b> 2
<b>Color:</b> Translucent to Light yellow	<b>FLAMMABILITY:</b> 2
<b>Odor:</b> Orange	<b>PHYSICAL HAZARD:</b> 0
	<b>Personal Protection:</b> See Section 8

**WARNING:** FLAMMABLE LIQUID AND VAPOR.  
MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.  
MAY BE HARMFUL IF SWALLOWED.

**Relevant routes of exposure:** Inhalation, Eye contact, Skin contact, Ingestion

#### Potential Health Effects

<b>Inhalation:</b>	High Concentrations of vapors may cause harmful effects. Symptoms usually occur at air concentrations above the recommended exposure limits. May cause irritation to nose and throat. Dizziness. Headache. Nausea.
<b>Skin contact:</b>	May cause irritation due to defatting of the skin. Prolonged contact with skin may cause dermatitis. May be harmful if absorbed through skin.
<b>Eye contact:</b>	Direct spray or vapors will irritate and may harm eyes.
<b>Ingestion:</b>	Ingestion causes irritation and effects similar to inhalation. If swallowed, may be aspirated into the lungs resulting in inflammation and possible fluid accumulation.

**Existing conditions aggravated by exposure:** Other pre-existing skin conditions. Other respiratory disorders (bronchitis, emphysema, bronchial hyperreactivity).

See Section 11 for additional toxicological information.

#### 4. FIRST AID MEASURES

<b>Inhalation:</b>	Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention. If not breathing, give artificial respiration.
<b>Skin contact:</b>	Wash with soap and water. Remove contaminated clothing and shoes. If a person feels unwell or symptoms of skin irritation appear, consult a physician.
<b>Eye contact:</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
<b>Ingestion:</b>	Do not induce vomiting or give anything by mouth because this material can enter the lungs and severe lung damage. Get medical attention immediately.

#### 5. FIRE-FIGHTING MEASURES

<b>Flash point:</b>	46°C (115°F)
<b>Autoignition temperature:</b>	Not available
<b>Flammable/Explosive limits-lower %:</b>	0.7 %
<b>Flammable/Explosive limits-upper %:</b>	5.0 %
<b>Extinguishing media:</b>	Carbon dioxide (CO2). Foam. Dry chemical. Type BC extinguisher.
<b>Special fire fighting procedures:</b>	Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA). Water may be unsuitable as an extinguishing media, but may be helpful in keeping adjacent containers cool. Avoid spreading liquid with water used for cooling purposes.
<b>Unusual fire or explosion hazards:</b>	Vapors may accumulate in low or confined areas, travel considerable distance to source of ignition, and flash back.
<b>Hazardous combustion products:</b>	Oxides of carbon. Irritating organic vapors.

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Environmental precautions:</b>	Do not contaminate surface water. Assure conformity with applicable government regulations.
<b>Clean-up methods:</b>	Spilled liquid is combustible and can be ignited by heat, flames, sparks, or other sources of ignition. Vapors are heavier than air and may travel along the ground or be moved by ventilation and subsequently ignited by heat, pilot lights or other ignition sources at locations distant from the material handling point. Remove all ignition sources. Maintain good ventilation for large spills. Evacuate and ventilate spill area; dike spill to prevent entry into water system; wear full protective equipment during clean-up. Spilled material will solidify.

#### 7. HANDLING AND STORAGE

<b>Handling:</b>	Keep container closed. Use only with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after handling. Do not wear contact lenses. Keep out of the reach of children. Vapors will accumulate readily and may ignite explosively.
<b>Storage:</b>	Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.
<b>Incompatible products:</b>	Oxidizing and spontaneously flammable products. Strong acids or bases. Amines.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering controls:** Provide local ventilation for prolonged use in a confined area. In case of insufficient ventilation, wear suitable respiratory equipment.

**Respiratory protection:** In case of insufficient ventilation wear suitable respiratory equipment. Use a NIOSH approved air-purifying respirator with an organic vapor cartridge.

**Skin protection:** Permeation resistant gloves (butyl rubber, nitrile rubber, polyvinyl alcohol).

**Eye/face protection:** Chemical splash goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists. Do not wear contact lenses when handling this product.

See Section 2 for exposure limits.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical state:** Liquid  
**Color:** Translucent to Light yellow  
**Odor:** Orange  
**Vapor pressure:** 5 mmHg @20°C (68° F)  
**pH:** Not applicable  
**Boiling point/range:** Greater than 148°C (300°F)  
**Melting point/range:** Not available  
**Specific gravity:** .7718  
**Vapor density:** Heavier than air  
**Evaporation rate:** Not available  
**Solubility in water:** Insoluble.  
**Partition coefficient (n-octanol/water):** Not available  
**VOC content:** <4%

## 10. STABILITY AND REACTIVITY

**Stability:** Stable.

**Hazardous polymerization:** Will not occur.

**Hazardous decomposition products:** Hydrocarbons.

**Incompatibility:** Acids. Bases. Oxidizing agents.

**Conditions to avoid:** Heat, flames and sparks. Fire or intense heat may cause violent rupture of packages.

## 11. TOXICOLOGICAL INFORMATION

### Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Petroleum distillates, hydrotreated light 64742-47-8	No	No	No
d-Limonene 5989-27-5	No	No	No

### Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
Petroleum distillates, hydrotreated light 64742-47-8	Irritant
d-Limonene 5989-27-5	Irritant

## 12. ECOLOGICAL INFORMATION

**Ecological information:** No specific studies have been conducted by Henkel on the ecotoxicity or environmental fate of this material; however, commonly available data on the material indicate that uncontrolled releases to soil, groundwater, or surface waters could entail acute and/or chronic ecological effects, depending on the quantity and concentration of such releases. Releases of volatile components to the atmosphere are not believed to entail significant ecological consequences provided such releases are within the exposure levels set forth in this document. Accordingly, all appropriate measures should be taken to avoid uncontrolled releases to the environment, and any spills or other uncontrolled releases which may occur should be contained and cleaned up immediately in accordance with Section 6.

## 13. DISPOSAL CONSIDERATIONS

**Information provided is for unused product only.**

**Recommended method of disposal:** Dispose of in accordance with Federal, State and local regulations.

**EPA hazardous waste number:** D001: Ignitable.

## 14. TRANSPORT INFORMATION

### U.S. Department of Transportation Ground (49 CFR):

**Proper shipping name:** Combustible liquids, n.o.s. ( Naphtha )  
**Hazard class or division:** 3  
**Identification number:** NA 1993  
**Packing group:** III  
**Exceptions:** Unrestricted (Not more than 450 Liters)

### International Air Transportation (ICAO/IATA):

**Proper shipping name:** Petroleum distillates N. O. S. ( Naphtha )  
**Hazard class or division:** 3  
**Identification number:** UN 1268  
**Packing group:** III

### Water Transportation (IMO/IMDG):

**Proper shipping name:** Petroleum distillates, n.o.s ( Naphtha )  
**Hazard class or division:** 3  
**Identification number:** UN1268  
**Packing group:** III  
**Exceptions:** None  
**Marine pollutant:** None

## 15. REGULATORY INFORMATION

### United States Regulatory Information

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.  
**TSCA 12 (b) Export Notification:** None.

**CERCLA/SARA Section 302 EHS:** Not available  
**CERCLA/SARA Section 311/312:** Immediate Health Hazard, Fire  
**CERCLA/SARA 313:** Not available

**California Proposition 65:** Not available

### Canada Regulatory Information

**CEPA DSL/NDSL Status:** All components are listed on or are exempt from listing on the Domestic Substances List.  
**WHMIS hazard class:** B.3, D.2.B

## 16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: Corrected information in Section(s) 14.

Prepared by: Lou Fabrizio, Senior Health & Regulatory Affairs Specialist

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.