



Issue date: 04/20/2007

Revision Date: 04/20/2007

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name:545 Thread SealantProduct type:Anaerobic SealantCompany address:Henkel Corporation1001 Trout Brook CrossingRocky Hill, Connecticut 06067

545 Thread Sealant Pneumatic/Hydraulic Fittings Item No Anaerobic Sealant Region: Contact Telepho ssing Emerger ut 06067

Item No. :54531Region:United StatesContact Information:Telephone:860.571.5100Emergency telephone:860.571.5100Internet:www.loctite.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components Polyglycol dioctanoate 18268-70-7	<u>%</u> 30-60	ACGIH TLV None	OSHA PEL None	OTHER None
Polyglycol dimethacrylate 25852-47-5	10-30	None	None	None
Hydroxyalkyl methacrylate 868-77-9	10-30	None	None	3 ppm (ceiling)
Silica, amorphous, fumed, crystalline-free 112945-52-5	1-5	10 mg/m ³ TWA inhalable 3 mg/m ³ TWA respirable	6 mg/m³ TWA	None
Cumene hydroperoxide 80-15-9	1-5	None	None	1 ppm (6 mg/m³) Skin (WEEL), 1ppm, skin TWA, (WEEL)

3. HAZARDS IDENTIFICATION

			EMERGEN	NCY OVERVIEW HMIS:		
Physical state:	Liquid			HEALTH:		2*
Color:	Purple	•		FLAMMABILITY:		1
Odor:	Mild			PHYSICAL HAZARD	-	1
				Personal Protection	:	See Section 8
WARNING	G:	CAUSES EYE AN	ID SKIN IRRIT	ATION.		
		MAY CAUSE ALL				
				RACT IRRITATION.		
		MAY BE HARMF	UL IF SWALL			
levant routes of	exposu	ıre: Skin, Ir	halation, Eyes			
tential Health Eff	ects					
Inhalation:		May ca	use respiratory tra	ct irritation.		
Skin contact				lay cause allergic skin reaction	on.	
Eye contact:			t with eyes will cau			
Ingestion:		May be	harmful if swallow	ved.		
isting conditions posure:	aggrav	vated by Eye, sk	in, and respiratory	disorders.		
·				Desident manual 545	There is the stand of	

4. FIRST AID MEASURES

Inhalation:	Remove to fresh air. If symptoms develop and persist, get medical attention.
Skin contact:	Wash with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms occur.
Eye contact:	Flush with copious amounts of water, preferably, lukewarm water for at least 15 minutes, holding eyelids open all the time. Get medical attention.
Ingestion:	Do not induce vomiting. Keep individual calm. Obtain medical attention.

5. FIRE-FIGHTING MEASURES

Flash point:	Greater than 93°C (200°F) Tagliabue closed cup		
Autoignition temperature:	Not available		
Flammable/Explosive limits-lower %:	Not available		
Flammable/Explosive limits-upper %:	Not available		
Extinguishing media:	Foam, dry chemical or carbon dioxide.		
Special fire fighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.		
Unusual fire or explosion hazards:	None		
Hazardous combustion products:	Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Irritating organic vapors.		
6. ACCIDENTAL RELEASE MEASURES			
	6. ACCIDENTAL RELEASE MEASURES		
Environmental precautions:	6. ACCIDENTAL RELEASE MEASURES Prevent product from entering drains or open waters.		
Environmental precautions: Clean-up methods:			
	Prevent product from entering drains or open waters.		
	Prevent product from entering drains or open waters. Soak up with inert absorbent. Store in a partly filled, closed container until disposal.		
Clean-up methods:	Prevent product from entering drains or open waters. Soak up with inert absorbent. Store in a partly filled, closed container until disposal. 7. HANDLING AND STORAGE Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after		

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

	8. EXPOSURE CONTROLS / PERSONAL PROTECTION
Engineering controls:	No specific ventilation requirements noted, but forced ventilation may still be required if concentrations exceed occupational exposure limts.
Respiratory protection:	Use NIOSH approved respirator if there is potential to exceed exposure limit(s).
Item No. : 54531	Product name: 545 Thread Sealant Pneumatic/Hydraulic Fittings

Skin protection:	Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves. Butyl rubber gloves. Natural rubber gloves. Glove recommendations are based upon permeation study results for similar products.
Eye/face protection:	Safety goggles or safety glasses with side shields.
	See Section 2 for exposure limits.
	9. PHYSICAL AND CHEMICAL PROPERTIES
Physical state: Color: Odor:	Liquid Purple Mild
Vapor pressure: pH: Boiling point/range:	Less than 5 mm Hg at 27°C (80°F) Not applicable Greater than 149°C (300°F)
Melting point/range: Specific gravity: Vapor density:	Not available 1.02 Not available
Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water):	Not available Slight Not available
VOC content:	1.9912%; 19.0069 grams/liter
	10. STABILITY AND REACTIVITY
Stability:	Stable.
Hazardous polymerization:	Will not occur.
Hazardous decomposition products:	Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Phenols. Irritating organic vapors.
Incompatability:	Strong oxidizers. Reducing agents. Acids. Bases. Rust. Zinc. Aluminum. Iron. Copper. Alkalis. Aldehydes. Amines. Free radical initiators. Peroxides.
Conditions to avoid:	Exposure to sunlight. Heat, flames and sparks. See "Handling and Storage" (Section 7) and "Incompatabilty" (Section 10).
	11. TOXICOLOGICAL INFORMATION
Product toxicity data:	Acute oral LD50 greater than 5000mg/kg (rat)(estimated). Acute dermal LD50 greater than 2000 mg/kg (rabbit) (estimated).

Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Polyglycol dioctanoate 18268-70-7	No	No	No
Polyglycol dimethacrylate 25852-47-5	No	No	No
Hydroxyalkyl methacrylate 868-77-9	No	No	No
Silica, amorphous, fumed, crystalline-free 112945-52-5	No	No	No
Cumene hydroperoxide 80-15-9	No	No	No

Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs	
Polyglycol dioctanoate 18268-70-7	Irritant	
Polyglycol dimethacrylate 25852-47-5	Allergen, Irritant	
Hydroxyalkyl methacrylate 868-77-9	Allergen, Irritant	
Silica, amorphous, fumed, crystalline-free 112945-52-5	Nuisance dust	
Cumene hydroperoxide 80-15-9	Allergen, Central nervous system, Corrosive, Irritant, Mutagen	

12. ECOLOGICAL INFORMATION

Ecological information:	Not available	
13. DISPOSAL CONSIDERATIONS		
	Information provided is for unused product only.	
Recommended method of disposal:	Dispose of according to Federal, State and local governmental regulations.	
EPA hazardous waste number:	Not a RCRA hazardous waste.	
	14. TRANSPORT INFORMATION	
U.S. Department of Transportation Grou Proper shipping name: Hazard class or division: Identification number: Packing group:	Ind (49 CFR): Unrestricted None None None	
International Air Transportation (ICAO/I/ Proper shipping name: Hazard class or division: Identification number: Packing group:	ATA): Unrestricted None None None	
<u>WaterTransportation (IMO/IMDG):</u> Proper shipping name: Hazard class or division: Identification number: Packing group: Marine pollutant:	Unrestricted None None None None	

United States Regulatory Information

TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.	
TSCA 12 (b) Export Notification:	None.	
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA 313:	None above reporting de minimus. Immediate Health Hazard, Delayed Health Hazard This product contains the following toxic chemicals subject to the reporting requirements of section 313	
	of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Cumene hydroperoxide (CAS# 80-15-9) .	
California Proposition 65:	This product contains a chemical known to the State of California to cause cancer.	
Canada Regulatory Information		
CEPA DSL/NDSL Status: WHMIS hazard class:	All components are listed on or are exempt from listing on the Domestic Substances List. D.2.B	
16. OTHER INFORMATION		

This material safety data sheet contains changes from the previous version in sections: 2, 11, 15

Prepared by:

Kyra Kozak Woods, Manager, Regulatory Affairs

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.